

05093

CHALMERS TEKNISKA HÖGSKOLA



CHALMERS UNIVERSITY OF TECHNOLOGY
GÖTEBORG
SWEDEN

ON PROBABILITY IN GEOTECHNICS

APPENDICES

VOLUME 2

CLAES ALÉN

DEPARTMENT OF GEOTECHNICAL ENGINEERING
1998

CONTENTS - APPENDICES

Appendix A Formulas

A.1 Distributions	A1
A.1.1 Standard normal distribution	A1
A.1.2 Lognormal distribution	A2
A.1.3 Gumbel distribution	A3
A.1.4 β -distribution	A4
A.2 Functions of random variables	A5
A.2.1 Sum	A5
A.2.2 Difference	A5
A.2.3 Linear combination	A5
A.2.4 Product:	A6
A.2.5 Ratio:	A7
A.2.6 Gaussian approximation	A7
One-dimensional random variables	A7
Random vectors	A8
A.2.7 Inequalities	A9
A.3 Statistical parameters	A10
A.3.1 Population	A10
A.3.2 Sample	A10
A.3.3 Linear regression	A11
Population	A11
Sample	A11
A.4 Probability of failure / Reliability index β	A12
A.4.1 Probability of failure as a function of β	A12
A.4.2 β as a function of probability of failure	A12
A.5 Partial factors	A12
A.5.1 Actions/action effects	A13
Normal distribution	A13
Lognormal distribution	A13
Gumbel distribution	A14
A.5.2 Resistance	A14
Normal distribution	A14
Lognormal distribution	A15

Appendix B 'Probability paper'

Appendix C Correlation/ Two variables

C.1 Introduction	C1
C.2 Simulation	C1
C.3 Non-normal variables	C4
C.3.1 General	C4
C.3.2 Lognormal variables	C4
C.3.3 Gumbel distributed variables	C5

Appendix D PEM/ Accuracy

D.1 Introduction	D1
D.2 PEM for two variables	D1
D.3 Sum of two variables	D2
D.4 Products of two variables	D4
D.4.1 Uncorrelated variables	D4
D.4.2 Correlated variables	D5
D.5 Ratio	D8
D.5.1 Uncorrelated variables	D8
D.5.2 Correlated variables	D15
D.6 Load/deformation - Hyperbola	D20
D.6.1 Deformation as a function of the load	D20
D.6.2 Load as a function of deformation	D27
D.7 Summary	D30

Appendix E Geostatistics/ Formulas

E.1 Autocovariance / autocorrelation	E1
E.1.1 General	E1
E.1.2 Stationary process	E2
E.1.3 Stationary process. $\mu_x = 0$	E2
E.2 Semi-variance	E3
E.2.1 General	E3
E.2.2 Estimation	E4

Appendix F Geostatistics/Examples

F.1 Undrained Shear strength. Vertical autocovariance and semivariance	F2
F.1.1 Model given as a linear trend	F2
Example 1 - Filed vane tests - Bore hole A1	F2
F.1.2 Model given as a bi-linear trend	F7
Example 2 - Field vane tests - Bore hole A1	F7
F.2 Undrained shear strength. Horizontal autocovariance and semi-variance	F12
F.2.1 Model given as bi-linear trend	F12
Example 3 - Field vane tests - 8 no of bore holes/A1 - F	F12

Appendix G On Bayesian statistics

G.1 General	G1
G.2 Notations in this appendix	G2
G.3 Conjugate pairs of normal distributions	G2
G.3.1 Basic variable X - normal distribution. Parameter $\theta = \mu_x$. The standard deviation σ known.	G2
Basic variable X	G2
Likelihood function - Probability of a sample	G2
G.3.2 Prior and posterior distributions - normal distributions	G3
G.3.3 Prior information compared to sample information	G3
Case A: $m+n$ tests	G3
Case B: Prior + n tests	G4
Comparison case A and case B	G4
G.3.4 Bayesian distribution	G5
G.3.5 Summary - known standard deviation σ	G6
G.4 Conjugate pairs of lognormal distributions	G7
G.4.1 Basic variable X - lognormal distribution. Parameter $\theta = \mu_{\ln x}$. The coefficient of variation V known.	G7
Basic variable X	G7
Likelihood function - Probability of a sample	G7
G.4.2 Prior and posterior distributions	G8
G.4.3 Prior information compared to sample information	G8
Case A: $m+n$ tests	G8
Case B: Prior + n tests	G9
Comparison case A and case B	G9
G.4.4 Bayesian distribution	G9
G.4.5 Summary - known coefficient of variation V	G11

**Appendix H 'Characteristic shear strength'
- An example**

Background	H1
Example	H1
Comments	H4

Appendix J Dimensionless safety margin

J.1 Idea	J1
J.2 Alternative formulations of the safety margin	J1
Comparison of safety margin m with the safety factor F and the degree of mobilisation f respectively	J2
Comparison with reliability index β	J4
Summary	J6

Appendix K On shear strength in slope stability

K.1 General	K1
K.2 Formulation of shear strength	K1
K.2.1 Traditional alternative	K1
K.2.2 Alternative formulation	K2
K.3 Numerical example	K3

Appendix L On improvement of slope stability

L.1 Existing situation	L1
L.2 Improvement of the slope	L1

Appendix M Slope stability - 'Design charts'

M.1 Transformation to a simple slope geometry - equivalent triangle	M1
M.1.1 Idea	M1
M.1.2 Transformation	M1
M.2 Stability number and critical slip circle - Explicit formulas	M4
M.2.1 General	M4
M.2.2 Location of critical slip circle. Slip circle passes under toe. x -direction	M5
Arbitrary slope	M5
Special case - Linear slope	M7
Special case - Vertical cut	M7
M.2.3 Location of critical slip circle. General	M7
M.2.4 Stability number	M9
M.2.5 Summary	M9

Appendix N On Bishop's simplified method

N.1 Background	N1
N.2 Application for a toe circle	N1
N.2.1 Principles	N1
N.2.2 Geometry	N2
N.2.3 Overturning moment	N3
Soil	N3
External load at crest	N3
External water	N4
Geometric driving	N4
N.2.4 Stabilising moment	N4
N.2.5 Safety concepts	N5
N.2.6 Average stresses	N5
N.2.7 Average shear strength	N6
Infinitesimal slice	N6
Drained shear strength	N7
Undrained shear strength	N8
Combined shear strength	N8
N.2.8 Calculation of safety margin	N8

Appendix O Slope stability. A shear beam model

O.1 Calculation model	O1
O.1.1 Frame model	O1
O.1.2 Actions	O3
O.1.3 Separating of actions	O3
O.1.4 Structural algorithm	O4
General	O4
Stiffness of the elements	O5
Nodal equilibrium	O6
Reactions	O7
Shear strength	O8
Safety margin	O8
O.2 Example - Deterministic calculation	O9

Appendix P Creep deformation

P.1 General	
P.2 Rheological model	P1
P.3 Derivation of differential equation	P3
Rheology:	P3
Geometrical compatibility:	P4
P.4 Constrained/unconstrained creep	P4
P.5 Finite difference model	P8
P.6 Analytical model	P9
P.6.1 General	P9
P.6.2 'Degree of consolidation'	P10
P.6.3 Deformation	P12

Appendix Q Rigid superstructure

Appendix R Flexible superstructure

R.1 Introduction	R1
R.2 Algorithm	R1

Appendix S A soil beam model

S.1 Introduction	S1
S.2 The soil beam	S1
S.3 Interaction	S3